

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	1	"20040210319" and (position with coded adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 11:01
L5	213	(bar adj code barcode code RFID ID tag code\$1 mark indicia label) with ((distinguish\$4 identif\$7 indicat\$3 specif\$4) near3 (location position) near2 (bar adj code barcode code RFID ID tag code\$1 mark indicia label) near3 (page sheet paper)) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 11:08
L6	138	I5 and (@rlad<"20030407"@ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 11:15
L7	10	(bar adj code barcode code RFID ID tag code\$1 mark indicia label) with ((distinguish\$4 identif\$7 indicat\$3 specif\$4) near3 (location position) near2 (bar adj code barcode code RFID ID tag code\$1 mark indicia label) near3 (page sheet paper)) same ((product item) with identi\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 11:29
L10	2	"20040210319" and interface adj surface with (coded adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 11:44
L11	2	"20040210319" and identit\$3 with (interface adj surface) with (coded adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 11:47

L12	0	"20040210319" and identit\$3 near2 (interface adj surface) with (coded adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 11:48
L13	0	"20040210319" and identit\$3 adj (of) near2 (interface adj surface) with (coded adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 11:49
L14	2	"20040210319" and identit\$3 with (interface adj surface) with product	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 11:50
L15	1897	(bar adj code barcode code RFID ID tag code\$1 mark indicia label) with ((distinguish\$4 identif\$7 indicat\$3 specif\$4) near3 (location position) near2 (bar adj code barcode code RFID ID tag code\$1 mark indicia label) near3 (page sheet paper))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 12:00
L16	39	(multiple plural\$3 many second another different several) near2 (bar adj code barcode code RFID ID tag code\$1 mark indicia label) with ((distinguish\$4 identif\$7 indicat\$3 specif\$4) near3 (location position) near2 (bar adj code barcode code RFID ID tag code\$1 mark indicia label) near3 (page sheet paper))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 12:23
L17	26	l16 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 12:25
L18	91	(multiple plural\$3 many second another different several) near2 (bar adj code barcode code RFID ID tag code\$1 mark indicia label) with ((distinguish\$4 identif\$7 indicat\$3 specif\$4) near3 (location position) near3 (page sheet paper))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 12:32

L19	141	(multiple plural\$3 many second another different several) near2 (bar adj code barcode code RFID ID tag code\$1 mark indicia label) with ((distinguish\$4 identif\$7 indicat\$3 specif\$4) near3 (location position) near3 (page sheet paper media medium))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 12:33
L20	86	l19 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 12:33
L25	242	(multiple plural\$3 many second another different several) near2 (bar adj code barcode code RFID ID tag code\$1 mark indicia label) with ((location position) near2 (bar adj code barcode code RFID ID tag code\$1 mark indicia llabel) near3 (page sheet paper))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 13:47
L26	0	(multiple plural\$3 many second another different several) near2 (bar adj code barcode code RFID ID tag code\$1 mark indicia label) with ((location position) near2 (bar adj code barcode code RFID ID tag code\$1 mark indicia llabel) near3 (page sheet paper)) with itself	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 13:49
L28	11	l25 same (item product)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 13:54
L29	57	(multiple plural\$3 many second another different several) near2 (bar adj code barcode code RFID ID tag code\$1 mark indicia label) with ((distinguish\$4 identif\$7 indicat\$3 specif\$4) near3 (current respective) adj (location position) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:17

L30	26	I17 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:19
L32	81	(bar adj code barcode code RFID ID tag code\$1 mark indicia label) with ((distinguish\$4 identif\$7 indicat\$3 specif\$4) near3 (current respective) adj (location position)) with (page sheet paper media medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:22
L33	35	I32 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:22
L34	686	(bar adj code barcode code RFID ID tag code\$1 ) with ((distinguish\$4 identif\$7 indicat\$3 specif\$4) near3 ((bar adj code barcode code RFID ID tag code\$1 ) near2 (location position))) with (page sheet paper label)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:29
L35	64	(bar adj code barcode code RFID ID tag code\$1 ) with ((distinguish\$4 identif\$7 indicat\$3 specif\$4) near3 ((bar adj code barcode code RFID ID tag code\$1 ) near2 (location position))) with (page sheet paper label) same (product item)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:29
L36	31	I35 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:30
L37	2	"5625467".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:48

L38	18916	(bar adj code barcode code RFID ID tag code\$1 ) with ((distinguish\$4 identif\$7 indicat\$3 specif\$4) near3 ((bar adj code barcode code RFID ID tag code\$1 ) near2 (location position)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:50
L39	195	(bar adj code barcode code RFID ID tag code\$1 ) with ((distinguish\$4 identif\$7 indicat\$3 specif\$4) near3 ((bar adj code barcode code RFID ID tag code\$1 ) near2 (relative adj (location position))) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:51
L40	113	l39 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:52
L41	2	"6054924".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:58
L42	5	US-5640193-\$.DID. OR US-5937110-\$.DID. OR US-5661506-\$.DID. OR US-5986651-\$.DID. OR US-4998010-\$.DID.	US-PGPUB; USPAT; USOCR; JPO; IBM_TDB	OR	ON	2009/12/29 16:20
L43	2	"6330976".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 16:23
L44	0	"20040210319" and map\$4 with (interface adj surface) with product	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:51
L45	0	"20040210319" and map\$4 same (interface adj surface) same product	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:52

L46	1	"20040210319" and map\$4 same (interface) same product	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:52
L47	2	"6330976".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:59
S1	83	(barcode bar adj code bar- code RFID) with (identity identif\$4 distinguish\$3) with ((single each every) near2 (item product))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 10:35
S2	43	S1 and (@rlad< "20030407" @ad< "20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 10:36
S3	2	"6813341".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 10:40
S4	29	("20020149609"   "20050092833"   "5111501"   "5136634"   "5165095"   "5168548"   "5222121"   "5231670"   "5239586"   "5301227"   "5335276"   "5349636"   "5406618"   "5602963"   "5621658"   "5631745"   "5671328"   "5786764"   "5832063"   "5850627"   "5930336"   "6092045"   "6236715"   "6260012"   "6462616"   "6604681"   "6813341"   "7136465"   "7146243").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/02 11:09
S5	2	(relay) with (identity identif \$4 distinguish\$3) with ((single each every) near2 (item product))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 11:26

S6	2251	(barcode bar adj code bar-code RFID) with (identity identif\$4 distinguish\$3) with (item product) and (inventory near2 control\$4 warehouse ware adj house)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 11:27
S7	0	(barcode bar adj code bar-code RFID) with (identity identif\$4 distinguish\$3) with (item product) and (inventory near2 control\$4 warehouse ware adj house) and "340".ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 11:27
S8	547	(barcode bar adj code bar-code RFID) with (identity identif\$4 distinguish\$3) with (item product) and (inventory near2 control\$4 warehouse ware adj house) and "340".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 11:27
S9	179	S8 and (@rlad<"20030407"@ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 11:28
S10	172	(barcode bar adj code bar-code RFID) with (identity identif\$4 distinguish\$3) with ((item product) near3 (individual each unique)) and "340".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 15:56
S11	55	S10 and (@rlad<"20030407"@ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 15:56
S12	2	"20010037248"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 09:58
S13	2	"5625467".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 14:27

S14	284	(bar adj code barcode code RFID ID identity serial adj number) with (distinguish\$4 identif\$7 differentiat\$3) with ((each single every) near2 product)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 14:38
S15	128	S14 and (@ad<"20030407" @rlad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 14:39
S16	167	(plural\$3 multiple several second two additional many) near3 (barcode bar adj code bar-code RFID code mark indicia) with (identity identif \$4 distinguish\$3 indicat\$3) with (position location) with (surface sheet page paper label) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:53
S17	213	(plural\$3 multiple several second two additional many) near3 (barcode bar adj code bar-code RFID code mark indicia) with (identity identif \$4 distinguish\$3 indicat\$3) with (position location) with (surface sheet page paper label) with (print\$3 product)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:54
S18	139	S17 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:54
S19	2	"20040210319"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 15:30
S20	6	(bar adj code barcode code RFID ID tag code mark indicia) with ((distinguish\$4 identif\$7 indicat\$3) near3 (location position)) with ((on of at) near2 (page sheet paper label)) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 17:16



S21	6	(bar adj code barcode code RFID ID tag code mark indicia label) with ((distinguish\$4 identif\$7 indicat\$3) near3 (location position)) with ((on of at) near2 (page sheet paper label)) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 17:16
S22	14	(bar adj code barcode code RFID ID tag code mark indicia label) with ((distinguish\$4 identif\$7 indicat\$3) near3 (relative adj (location position))) with (page sheet paper) with print \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 17:27
S23	312	(bar adj code barcode code RFID ID tag code mark indicia label) with ((distinguish\$4 identif\$7 indicat\$3) near3 (location position) near3 (page sheet paper)) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 17:32
S24	190	S23 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 17:33
S25	2	"6651894".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 17:49

12/ 29/ 2009 5:59:57 PM

C:\ Documents and Settings\ fzhang\ My Documents\ EAST\ Workspaces\ 10815614-2.wsp